

## T 5 (Pitch=5mm) for belt width 25 mm

| Part Code | Number of Teeth | Type | Mat. | Dp    | De    | Df   | Dm | F  | L  | d | Flange Code |
|-----------|-----------------|------|------|-------|-------|------|----|----|----|---|-------------|
| 10T5-36   | 10              | 6F   |      | 16.05 | 15.05 | 19.5 | 8  | 30 | 36 | - | 3           |
| 12T5-36   | 12              | 6F   | AL   | 19.25 | 18.25 | 23   | 11 | 30 | 36 | - | 1           |
| 14T5-36   | 14              | 6F   |      | 22.45 | 21.45 | 25   | 13 | 30 | 36 | - | 2           |
| 15T5-36   | 15              | 6F   |      | 24.05 | 23.05 | 28   | 16 | 30 | 36 | - | 4           |
| 16T5-36   | 16              | 6F   | AL   | 25.06 | 24.60 | 32   | 18 | 30 | 36 | - | 5           |
| 18T5-36   | 18              | 6F   |      | 28.80 | 27.80 | 32   | 10 | 30 | 36 | - | 6           |
| 19T5-36   | 19              | 6F   |      | 30.40 | 29.40 | 36   | 20 | 30 | 36 | - | 8           |
| 20T5-36   | 20              | 6F   | AL   | 32.00 | 31.00 | 36   | 22 | 30 | 36 | - | 8           |
| 22T5-36   | 22              | 6F   |      | 32.15 | 34.15 | 38   | 23 | 30 | 36 | - | 9           |
| 24T5-36   | 24              | 6F   |      | 38.40 | 37.40 | 42   | 24 | 30 | 36 | 8 | 13          |
| 25T5-36   | 25              | 6F   | AL   | 39.95 | 39.85 | 44   | 26 | 30 | 36 | 8 | 12          |
| 26T5-36   | 26              | 6F   |      | 41.60 | 40.60 | 44   | 26 | 30 | 36 | 8 | 12          |
| 27T5-36   | 27              | 6F   |      | 43.20 | 42.20 | 48   | 30 | 30 | 36 | 8 | 11          |
| 28T5-36   | 28              | 6F   | AL   | 44.75 | 43.75 | 48   | 32 | 30 | 36 | 8 | 11          |
| 30T5-36   | 30              | 6F   |      | 47.95 | 46.95 | 51   | 34 | 30 | 36 | 8 | 16          |
| 32T5-36   | 32              | 6F   |      | 51.10 | 50.10 | 54   | 38 | 30 | 36 | 8 | 18          |
| 36T5-36   | 36              | 6F   | AL   | 57.45 | 56.45 | 64   | 38 | 30 | 36 | 8 | 23          |
| 40T5-36   | 40              | 6F   |      | 63.85 | 62.85 | 67   | 40 | 30 | 36 | 8 | 24          |
| 42T5-36   | 42              | 6F   |      | 67.00 | 66.00 | 70   | 40 | 30 | 36 | 8 | 26          |
| 44T5-36   | 44              | 6    | AL   | 70.20 | 69.20 | -    | 45 | 30 | 36 | 8 | -           |
| 48T5-36   | 48              | 6    |      | 76.55 | 75.55 | -    | 50 | 30 | 36 | 8 | -           |
| 60T5-36   | 60              | 6    | AL   | 95.65 | 94.65 | -    | 65 | 30 | 36 | 8 | -           |

## T 10 (Pitch=10mm) for belt width 16 mm

| Part Code | Number of Teeth | Type | Mat. | Dp     | De     | Df  | Dm  | F  | L  | d  | Flange Code |
|-----------|-----------------|------|------|--------|--------|-----|-----|----|----|----|-------------|
| 12T10-31  | 12              | 6F   |      | 38.35  | 36.35  | 42  | 28  | 21 | 31 | -  | 13          |
| 14T10-31  | 14              | 6F   | AL   | 44.70  | 42.70  | 48  | 32  | 21 | 31 | 8  | 11          |
| 15T10-31  | 15              | 6F   |      | 47.90  | 45.90  | 51  | 32  | 21 | 31 | 8  | 16          |
| 16T10-31  | 16              | 6F   |      | 51.10  | 49.10  | 54  | 35  | 21 | 31 | 8  | 18          |
| 18T10-31  | 18              | 6F   | AL   | 57.45  | 55.45  | 60  | 40  | 21 | 31 | 8  | 21          |
| 19T10-31  | 19              | 6F   |      | 60.65  | 58.65  | 66  | 44  | 21 | 31 | 8  | 24          |
| 20T10-31  | 20              | 6F   |      | 63.80  | 61.80  | 66  | 46  | 21 | 31 | 8  | 24          |
| 22T10-31  | 22              | 6F   | AL   | 70.20  | 68.20  | 75  | 52  | 21 | 31 | 8  | 27          |
| 24T10-31  | 24              | 6F   |      | 76.55  | 74.55  | 83  | 58  | 21 | 31 | 8  | 29          |
| 25T10-31  | 25              | 6F   |      | 79.55  | 77.70  | 83  | 60  | 21 | 31 | 8  | 29          |
| 26T10-31  | 26              | 6F   | AL   | 82.90  | 80.90  | 87  | 60  | 21 | 31 | 8  | 31          |
| 27T10-31  | 27              | 6F   |      | 86.10  | 84.10  | 91  | 60  | 21 | 31 | 8  | 32          |
| 28T10-31  | 28              | 6F   |      | 89.25  | 87.25  | 93  | 60  | 21 | 31 | 8  | 33          |
| 30T10-31  | 30              | 6F   | AL   | 95.65  | 93.65  | 97  | 60  | 21 | 31 | 8  | 35          |
| 32T10-31  | 32              | 6F   |      | 102.00 | 100.00 | 106 | 65  | 21 | 31 | 10 | 38          |
| 36T10-31  | 36              | 6F   |      | 114.75 | 112.75 | 119 | 70  | 21 | 31 | 10 | 43          |
| 40T10-31  | 40              | 6F   | AL   | 127.45 | 125.45 | 131 | 80  | 21 | 31 | 10 | 47          |
| 44T10-31  | 44              | 6    |      | 140.20 | 138.20 | -   | 88  | 21 | 31 | 10 | -           |
| 48T10-31  | 48              | 6    |      | 152.95 | 150.95 | -   | 95  | 21 | 31 | 16 | -           |
| 60T10-31  | 60              | 6    | AL   | 191.15 | 189.10 | -   | 110 | 21 | 31 | 16 | -           |



## T 10 (Pitch=10mm) for belt width 25 mm

| Part Code | Number of Teeth | Type | Mat. | Dp     | De     | Df  | Dm  | F  | L  | d  | Flange Code |
|-----------|-----------------|------|------|--------|--------|-----|-----|----|----|----|-------------|
| 12T10-40  | 12              | 6F   |      | 38.35  | 36.35  | 42  | 28  | 30 | 40 | -  | 13          |
| 14T10-40  | 14              | 6F   | AL   | 44.70  | 42.70  | 48  | 32  | 30 | 40 | 8  | 11          |
| 15T10-40  | 15              | 6F   |      | 47.90  | 45.90  | 51  | 32  | 30 | 40 | 8  | 16          |
| 16T10-40  | 16              | 6F   | AL   | 51.10  | 49.10  | 54  | 35  | 30 | 40 | 8  | 18          |
| 18T10-40  | 18              | 6F   |      | 57.45  | 55.45  | 60  | 40  | 30 | 40 | 8  | 21          |
| 19T10-40  | 19              | 6F   |      | 60.65  | 58.65  | 66  | 44  | 30 | 40 | 8  | 24          |
| 20T10-40  | 20              | 6F   | AL   | 63.80  | 61.80  | 66  | 46  | 30 | 40 | 8  | 24          |
| 22T10-40  | 22              | 6F   |      | 70.20  | 68.20  | 75  | 52  | 30 | 40 | 8  | 27          |
| 24T10-40  | 24              | 6F   |      | 76.55  | 74.55  | 83  | 58  | 30 | 40 | 8  | 29          |
| 25T10-40  | 25              | 6F   | AL   | 79.55  | 77.70  | 83  | 60  | 30 | 40 | 8  | 29          |
| 26T10-40  | 26              | 6F   |      | 82.90  | 80.90  | 87  | 60  | 30 | 40 | 8  | 31          |
| 27T10-40  | 27              | 6F   |      | 86.10  | 84.10  | 91  | 60  | 30 | 40 | 8  | 32          |
| 28T10-40  | 28              | 6F   | AL   | 89.25  | 87.25  | 93  | 60  | 30 | 40 | 8  | 33          |
| 30T10-40  | 30              | 6F   |      | 95.65  | 93.65  | 97  | 60  | 30 | 40 | 8  | 35          |
| 32T10-40  | 32              | 6F   |      | 102.00 | 100.00 | 106 | 65  | 30 | 40 | 10 | 38          |
| 36T10-40  | 36              | 6F   | AL   | 114.75 | 112.75 | 119 | 70  | 30 | 40 | 10 | 43          |
| 40T10-40  | 40              | 6F   |      | 127.45 | 125.45 | 131 | 80  | 30 | 40 | 10 | 47          |
| 44T10-40  | 44              | 6    |      | 140.20 | 138.20 | -   | 88  | 30 | 40 | 10 | -           |
| 48T10-40  | 48              | 6    | AL   | 152.95 | 150.95 | -   | 95  | 30 | 40 | 16 | -           |
| 60T10-40  | 60              | 6    |      | 191.15 | 189.10 | -   | 110 | 30 | 40 | 16 | -           |

## T 10 (Pitch=10mm) for belt width 32 mm

| Part Code | Number of Teeth | Type | Mat. | Dp     | De     | Df  | Dm  | F  | L  | d  | Flange Code |
|-----------|-----------------|------|------|--------|--------|-----|-----|----|----|----|-------------|
| 18T10-47  | 18              | 6F   |      | 57.45  | 55.45  | 60  | 40  | 37 | 47 | 10 | 21          |
| 19T10-47  | 19              | 6F   | AL   | 60.65  | 58.65  | 66  | 44  | 37 | 47 | 10 | 24          |
| 20T10-47  | 20              | 6F   |      | 63.80  | 61.80  | 66  | 46  | 37 | 47 | 12 | 24          |
| 22T10-47  | 22              | 6F   | AL   | 70.20  | 68.20  | 75  | 52  | 37 | 47 | 12 | 27          |
| 24T10-47  | 24              | 6F   |      | 76.55  | 74.55  | 83  | 58  | 37 | 47 | 12 | 29          |
| 25T10-47  | 25              | 6F   |      | 79.55  | 77.70  | 83  | 60  | 37 | 47 | 12 | 29          |
| 26T10-47  | 26              | 6F   | AL   | 82.90  | 80.90  | 87  | 60  | 37 | 47 | 12 | 31          |
| 27T10-47  | 27              | 6F   |      | 86.10  | 84.10  | 91  | 60  | 37 | 47 | 12 | 32          |
| 28T10-47  | 28              | 6F   |      | 89.25  | 87.25  | 93  | 60  | 37 | 47 | 12 | 33          |
| 30T10-47  | 30              | 6F   | AL   | 95.65  | 93.65  | 97  | 60  | 37 | 47 | 12 | 35          |
| 32T10-47  | 32              | 6F   |      | 102.00 | 100.00 | 106 | 65  | 37 | 47 | 12 | 38          |
| 36T10-47  | 36              | 6F   |      | 114.75 | 112.75 | 119 | 70  | 37 | 47 | 16 | 43          |
| 40T10-47  | 40              | 6F   | AL   | 127.45 | 125.45 | 131 | 80  | 37 | 47 | 16 | 47          |
| 44T10-47  | 44              | 6    |      | 140.20 | 138.20 | -   | 88  | 37 | 47 | 16 | -           |
| 48T10-47  | 48              | 6    | AL   | 152.95 | 150.95 | -   | 95  | 37 | 47 | 16 | -           |
| 60T10-47  | 60              | 6    |      | 191.15 | 189.10 | -   | 110 | 37 | 47 | 16 | -           |



## T 10 (Pitch=10mm) for belt width 50 mm

| Part Code | Number of Teeth | Type | Mat. | Dp     | De     | Df  | Dm  | F  | L  | d  | Flange Code |
|-----------|-----------------|------|------|--------|--------|-----|-----|----|----|----|-------------|
| 18T10-66  | 18              | 6F   |      | 57.45  | 55.45  | 60  | 40  | 56 | 66 | 10 | 21          |
| 19T10-66  | 19              | 6F   | AL   | 60.65  | 58.65  | 66  | 44  | 56 | 66 | 10 | 24          |
| 20T10-66  | 20              | 6F   |      | 63.80  | 61.80  | 66  | 46  | 56 | 66 | 12 | 24          |
| 22T10-66  | 22              | 6F   |      | 70.20  | 68.20  | 75  | 52  | 56 | 66 | 12 | 27          |
| 24T10-66  | 24              | 6F   | AL   | 76.55  | 74.55  | 83  | 58  | 56 | 66 | 12 | 29          |
| 25T10-66  | 25              | 6F   |      | 79.55  | 77.70  | 83  | 60  | 56 | 66 | 12 | 29          |
| 26T10-66  | 26              | 6F   |      | 82.90  | 80.90  | 87  | 60  | 56 | 66 | 12 | 31          |
| 27T10-66  | 27              | 6F   | AL   | 86.10  | 84.10  | 91  | 60  | 56 | 66 | 12 | 32          |
| 28T10-66  | 28              | 6F   |      | 89.25  | 87.25  | 93  | 60  | 56 | 66 | 12 | 33          |
| 30T10-66  | 30              | 6F   |      | 95.65  | 93.65  | 97  | 60  | 56 | 66 | 12 | 35          |
| 32T10-66  | 32              | 6F   | AL   | 102.00 | 100.00 | 106 | 65  | 56 | 66 | 12 | 38          |
| 36T10-66  | 36              | 6F   |      | 114.75 | 112.75 | 119 | 70  | 56 | 66 | 16 | 43          |
| 40T10-66  | 40              | 6F   |      | 127.45 | 125.45 | 131 | 80  | 56 | 66 | 16 | 47          |
| 44T10-66  | 44              | 6    | AL   | 140.20 | 138.20 | -   | 88  | 56 | 66 | 16 | -           |
| 48T10-66  | 48              | 6    |      | 152.95 | 150.95 | -   | 95  | 56 | 66 | 16 | -           |
| 60T10-66  | 60              | 6    | AL   | 191.15 | 189.10 | -   | 110 | 56 | 47 | 16 | -           |