

PI PULLEY

HTD Taper Bore 5M-15

Part Code	Teeth Number	Type	Material	Bush Number	Dp	De	Df	Dm	Di	F	S	R	Flange Number
TL34-5M-15	34	3F	STEEL	1008	54,11	52,97	57			22	22		20
TL36-5M-15	36	3F	STEEL	1108	57,3	56,15	60			22	22		21
TL38-5M-15	38	3F	STEEL	1108	60,48	59,34	66,5			22	22		24
TL40-5M-15	40	3F	STEEL	1108	63,66	62,52	71			22	22		25
TL44-5M-15	44	3F	STEEL	1108	70,03	68,89	75			22	22		27
TL48-5M-15	48	8F	STEEL	1210	76,39	75,25	83	59		22	25	3	29
TL56-5M-15	56	8F	STEEL	1210	89,13	87,99	93	70		22	25	3	33
TL64-5M-15	64	8F	STEEL	1210	101,86	100,72	106	80		22	25	3	38
TL72-5M-15	72	8	STEEL	1610	114,59	113,45		92		22	25	3	
TL80-SM-15	80	8	STEEL	1610	127,32	126,18		92		22	25	3	
TL90-5M-15	90	8	STEEL	1610	143,24	142,10		92		22	25	3	
TL112-5M-15	112	8	STEEL	2012	178,25	177,11		110		20	32	12	
TL136-5M-15	136	7A	STEEL	2012	216,45	215,31		110	199	20	32	6	

HTD Taper Bore 8M-20

Part Code	Teeth Number	Type	Material	Bush Number	Dp	De	Df	Dm	Di	F	S	R	Flange Number
TL22-8M-20	22	5F	STEEL	1008	56,02	54,65	60		37	28	22	6	53
TL24-8M-20	24	5F	STEEL	1108	61,12	59,75	66		44	28	22	6	69
TL26-8M-20	26	5F	STEEL	1108	66,21	64,84	70		45	28	22	6	61
TL28-8M-20	28	5F	STEEL	1108	71,3	69,93	75		50	28	22	6	79
TL30-8M-20	30	5F	STEEL	1108	76,39	75,02	83		58	28	22	6	73
TL32-8M-20	32	5F	STEEL	1610	81,49	80,16	87		63	28	25	3	76
TL34-8M-20	34	5F	STEEL	1610	86,58	85,22	91		64	28	25	3	66
TL36-8M-20	36	SF	STEEL	1610	91,67	90,3	97		68	28	25	3	68
TL38-8M-20	38	5F	STEEL	1610	96,77	95,39	102		72	28	25	3	70
TL40-8M-20	40	5F	STEEL	1610	101,86	100,49	106		76	28	25	3	77
TL44-8M-20	44	8F	STEEL	2012	112,05	110,67	120	93		28	32	4	75
TL48-8M-20	48	8F	STEEL	2012	122,23	120,86	128	96		28	32	4	78
TL56-8M-20	56	8F	STEEL	2012	142,60	141,23	150	110		28	32	4	85
TL64-8M-20	64	8WF	STEEL	2012	162,97	161,60	168	110	137	28	32	4	90
TL72-8M-20	72	8WF	STEEL	2012	183,35	181,97	192	110	158	28	32	4	97
TL80-8M-20	80	8W	CAST IRON	2012	203,72	202,35		110	180	28	32	4	
TL90-8M-20	90	8A	CAST IRON	2012	229,18	227,81		110	204	28	32	4	
TL144-8M-20	144	8A	CAST IRON	2517	366,69	365,32		125	336	28	45	17	

HTD Taper Bore 8M-30

Part Code	Teeth Number	Type	Material	Bush Number	Dp	De	Df	Dm	Di	F	S	R	Flange Number
TL22-8M-30	22	5F	STEEL	1008	56,02	54,65	60		37	38	22	16	53
TL24-8M-30	24	5F	STEEL	1108	61,12	59,75	66		44	38	22	16	69
TL26-8M-30	26	5F	STEEL	1108	66,21	64,84	70		44	38	22	16	61
TL28-8M-30	28	5F	STEEL	1210	71,3	69,93	75		50	38	25	13	79
TL30-8M-30	30	3F	STEEL	1615	76,39	75,02	83			38	38		73
TL32-8M-30	32	3F	STEEL	1615	81,49	80,16	87			38	38		76
TL34-8M-30	34	3F	STEEL	1615	86,58	85,22	91			38	38		66
TL36-8M-30	36	3F	STEEL	1615	91,67	90,3	97			38	38		68
TL38-8M-30	38	3F	STEEL	1615	96,77	95,39	102			38	38		70
TL40-8M-30	40	3F	STEEL	1615	101,86	100,49	106			38	38		77
TL44-8M-30	44	4F	STEEL	2012	112,05	110,67	120		86	38	32	3	75
TL48-8M-30	48	4F	STEEL	2012	122,23	120,86	128		90	38	32	3	78
TL56-8M-30	56	4F	STEEL	2012	142,60	141,23	150		110	38	32	3	58
TL64-8M-30	64	8F	STEEL	2517	162,97	161,60	168	125		38	45	7	90
TL72-8M-30	72	8WF	STEEL	2517	183,35	181,97	192	125	158	38	45	7	97
TLBO-BM-30	80	8A	CAST IRON	2517	203,72	202,35		125	180	38	45	7	
TL90-8M-30	90	8A	CAST IRON	2517	229,18	227,81		125	204	38	45	7	
TL112-8M-30	112	8A	CAST IRON	2517	285,21	283,83		125	254	38	45	7	
TL144-8M-30	144	8A	CAST IRON	2517	366,69	365,32		125	336	38	45	7	

HTD Taper Bore 8M-50

Part Code	Teeth Number	Type	Material	Bush Number	Dp	De	Df	Dm	Di	F	S	R	Flange Number
TL28-8M-50	28	4F	STEEL	1210	71,3	69,93	75		50	60	25	17,5	79
TL30-8M-50	30	5F	STEEL	1615	76,39	75,02	83		58	60	38	22	73
TL32-8M-50	32	5F	STEEL	1615	81,49	80,16	87		62	60	38	22	76
TL34-8M-50	34	5F	STEEL	1615	86,58	85,22	91		65	60	38	22	66
TL36-8M-50	36	5F	STEEL	1615	91,67	90,3	97		68	60	38	22	68
TL38-8M-50	38	5F	STEEL	1615	96,77	95,39	102		72	60	38	22	70
TL40-8M-50	40	4F	STEEL	2012	101,86	100,49	106		82	60	32	14	77
TL44-8M-50	44	4F	STEEL	2012	112,05	110,67	120		91	60	32	14	75
TL48-8M-50	48	4F	STEEL	2012	122,23	120,86	128		95	60	32	14	78
TL56-8M-50	56	4F	STEEL	2517	142,60	141,23	150		116	60	45	7,5	85
TL64-8M-50	64	4F	STEEL	2517	162,97	161,60	168		137	60	45	7,5	90
TL72-8M-50	72	9WF	STEEL	2517	183,35	181,97	192	125	158	60	45	7,5	97
TL80-8M-50	80	4	CAST IRON	3020	203,72	202,35			180	60	51	4,5	
TL90-8M-50	90	9W	CAST IRON	3020	229,18	227,81		170	204	60	51	4,5	
TL112-BM-50	112	9W	CAST IRON	3020	285,21	283,83		170	260	60	51	4,5	
TL144-BM-50	144	9A	CAST IRON	3020	366,69	365,32		170	341	60	51	4,5	
TL168-BM-50	168	7A	CAST IRON	3525	427,81	426,44		198	395	60	65	2,5	
TL192-BM-50	192	7A	CAST IRON	3525	488,92	487,55		198	455	60	65	2,5	

PI PULLEY

HTD Taper Bore 8M-85

Part Code	Teeth Number	Type	Material	Bush Number	Dp	De	Df	Dm	Di	F	S	R	Flange Number
TL34-8M-85	34	4F	STEEL	1615	86,58	85,22	91		65	95	38	28,5	66
TL36-8M-85	36	4F	STEEL	1615	91,67	90,3	97		68	95	38	28,5	68
TL38-8M-85	38	4F	STEEL	1615	96,77	95,39	102		72	95	38	28,5	70
TL40-8M-85	40	4F	STEEL	2012	101,86	100,49	106		82	95	32	31,5	77
TL44-8M-85	44	4F	STEEL	2012	112,05	110,67	120		91	95	32	31,5	75
TL48-8M-85	48	4F	STEEL	2517	122,23	120,86	128		100	95	45	25	78
TL56-8M-85	56	4F	STEEL	2517	142,6	141,23	150		117	95	45	25	85
TL64-8M-85	64	4F	STEEL	2517	162,97	161,60	168		137	95	45	25	90
TL72-8M-85	72	4F	STEEL	3020	183,35	181,97	192		158	95	51	22	97
TLBO-BM-85	80	4	CAST IRON	3020	203,72	202,35			180	95	51	22	
TL90-8M-85	90	9W	CAST IRON	3020	229,18	227,81		170	204	95	51	22	
TL112-BM-85	112	9W	CAST IRON	3020	285,21	283,83		170	260	95	51	22	
TL144-8M-85	144	9A	CAST IRON	3525	366,69	365,32		198	336	95	65	15	
TL168-SM-85	168	9A	CAST IRON	3525	427,81	426,44		198	395	95	65	15	
TL192-BM-85	192	9A	CAST IRON	3525	488,92	487,55		198	455	95	65	15	

HTD Taper Bore 14M-40

Part Code	Teeth Number	Type	Material	Bush Number	Dp	De	Df	Dm	Di	F	S	R	Flange Number
TL28-14M-40	28	4F	STEEL	2012	124,78	122,12	128		94	54	32	11	153
TL29-14M-40	29	4F	STEEL	2012	129,23	126,57	138		98	54	32	11	154
TL30-14M-40	30	4F	STEEL	2012	133,69	130,99	138		98	54	32	11	154
TL32-14M-40	32	4F	STEEL	2012	142,6	139,88	154		108	54	32	11	160
TL34-14M-40	34	4F	STEEL	2517	151,52	148,79	160		110	54	45	4,5	166
TL36-14M-40	36	4F	STEEL	2517	160,43	157,68	168		120	54	45	4,5	168
TL38-14M-40	38	4F	STEEL	2517	169,34	166,6	183		130	54	45	4,5	172
TL40-14M-40	40	4F	STEEL	2517	178,25	175,49	188		138	54	45	4,5	162
TL44-14M-40	44	4F	STEEL	3020	196,08	193,28	211		155	54	51	1,5	175
TL48-14M-40	48	4F	STEEL	3020	213,90	211,11	226		170	54	51	1,5	180
TL56-14M-40	56	9WF	STEEL	3020	249,55	246,76	256	170	208	54	51	1,5	182
TL64-14M-40	64	9WF	CAST IRON	3020	285,21	282,41	296	170	240	54	51	1,5	184
TL72-14M-40	72	9W	CAST IRON	3020	320,86	318,06		170	280	54	51	15	
TL80-14M-40	80	9A	CAST IRON	3020	356,51	353,71		170	315	54	51	1,5	
TL90-14M-40	90	9A	CAST IRON	3020	401,07	398,28		170	360	54	51	1,5	
TL112-14M-40	112	9A	CAST IRON	3020	499,11	496,32		170	457	54	51	1,5	
TL144-14M-40	144	9A	CAST IRON	3020	641,71	638,92		170	600	54	51	1,5	
TL168-14M-40	168	9A	CAST IRON	3020	748,66	745,87		170	706	54	51	1,5	
TL192-14M-40	192	9A	CAST IRON	3020	855,62	852,82		170	813	54	51	1,5	
TL216-14M-40	216	9A	CAST IRON	3020	962,57	959,76		170	920	54	51	1,5	