

H 075 (12.700mm)

Part Code	Number of Teeth	Type	Mat.	Dp	De	Df	Dm	Di	F	L	d	Flange Code
14 H 075	14	6F	STEEL	56.60	55.22	64	40	-	26.4	40	8	59
15 H 075	15	6F		60.64	59.27	66	45	-	26.4	40	8	60
16 H 075	16	6F		64.68	63.31	70	45	-	26.4	40	8	61
17 H 075	17	6F	STEEL	68.72	67.35	75	45	-	26.4	40	8	62
18 H 075	18	6F		72.77	71.39	79	55	-	26.4	40	11	63
19 H 075	19	6F		76.81	75.44	83	60	-	26.4	40	11	64
20 H 075	20	6F	STEEL	80.85	79.48	87	62	-	26.4	40	11	65
21 H 075	21	6F		84.89	83.52	91	65	-	26.4	40	11	66
22 H 075	22	6F		88.94	87.56	93	68	-	26.4	40	11	67
23 H 075	23	6F	STEEL	92.98	91.61	97	72	-	26.4	40	11	68
24 H 075	24	6F		97.02	95.65	102	72	-	26.4	40	11	70
25 H 075	25	6F		101.06	99.69	106	72	-	26.4	40	11	71
26 H 075	26	6F	STEEL	105.11	103.73	112	80	-	26.4	40	11	72
27 H 075	27	6F		109.15	107.78	115	80	-	26.4	40	11	74
28 H 075	28	6F		113.19	111.82	120	80	-	26.4	40	11	75
29 H 075	29	6F	STEEL	117.23	115.86	123	80	-	26.4	40	11	88
30 H 075	30	6F		121.28	119.90	128	80	-	26.4	40	11	78
32 H 075	32	6F		129.36	127.99	135	80	-	26.4	40	11	80
33 H 075	33	6F	STEEL	133.40	132.03	140	80	-	26.4	40	11	81
34 H 075	34	6F		137.45	136.07	142	80	-	26.4	40	11	81
35 H 075	35	6F		141.49	140.12	150	80	-	26.4	40	11	85
36 H 075	36	6F	STEEL	145.53	144.16	150	80	118	26.4	40	11	86
38 H 075	38	6F		153.62	152.24	158	80	126	26.4	40	11	90
40 H 075	40	6F		161.70	160.33	168	80	134	26.4	40	11	89
42 H 075	42	6F	IRON	169.79	168.41	175	80	140	26.4	40	11	95
44 H 075	44	6WF		177.87	176.50	184	80	150	26.4	40	14	96
45 H 075	45	6WF		181.91	180.54	192	80	154	26.4	40	14	100
48 H 075	48	6WF	IRON	194.04	192.67	200	90	166	26.4	45	14	-
49 H 075	49	6W		198.08	196.71	-	90	170	26.4	45	14	-
50 H 075	50	6W		202.13	200.75	-	90	174	26.4	45	14	-

PI PULLEY

H 100 (12.700mm)

Part Code	Number of Teeth	Ty	Mat.	Dp	De	Df	Dm	Di	F	L	d	Flange Code
14 H 100	14	6F	STEEL	56.60	55.22	64	40	-	31.8	45	11	59
15 H 100	15	6F		60.64	59.27	66	45	-	31.8	45	11	60
16 H 100	16	6F		64.68	63.31	70	45	-	31.8	45	11	61
17 H 100	17	6F	STEEL	68.72	67.35	75	45	-	31.8	45	11	62
18 H 100	18	6F		72.77	71.39	79	55	-	31.8	45	14	63
19 H 100	19	6F		76.81	75.44	83	60	-	31.8	45	14	64
20 H 100	20	6F	STEEL	80.85	79.48	87	62	-	31.8	45	14	65
21 H 100	21	6F		84.89	83.52	91	65	-	31.8	45	14	66
22 H 100	22	6F		88.94	87.56	93	68	-	31.8	45	14	67
23 H 100	23	6F	STEEL	92.98	91.61	97	72	-	31.8	45	14	68
24 H 100	24	6F		97.02	95.65	102	72	-	31.8	45	14	70
25 H 100	25	6F		101.06	99.69	106	72	-	31.8	45	14	71
26 H 100	26	6F	STEEL	105.11	103.73	112	80	-	31.8	45	14	72
27 H 100	27	6F		109.15	107.78	115	80	-	31.8	45	14	74
28 H 100	28	6F		113.19	111.82	120	80	-	31.8	45	14	75
29 H 100	29	6F	STEEL	117.23	115.86	123	80	-	31.8	45	14	88
30 H 100	30	6F		121.28	119.90	128	80	-	31.8	45	14	78
32 H 100	32	6F		129.36	127.99	135	80	-	31.8	45	14	80
33 H 100	33	6F	STEEL	133.40	132.03	145	80	-	31.8	45	14	81
34 H 100	34	6F		137.45	136.07	142	80	-	31.8	45	14	81
35 H 100	35	6F		141.49	140.12	150	80	-	31.8	45	14	85
36 H 100	36	6F	STEEL	145.53	144.16	150	80	118	31.8	45	14	85
38 H 100	38	6F		153.62	152.24	158	80	126	31.8	45	14	86
40 H 100	40	6F		161.70	160.33	168	80	134	31.8	45	14	90
42 H 100	42	6F	STEEL	169.79	168.41	175	80	140	31.8	45	14	89
44 H 100	44	6WF		177.87	176.50	184	80	150	31.8	50	14	95
45 H 100	45	6WF		181.91	180.54	192	80	154	31.8	50	14	97
48 H 100	48	6WF	STEEL	194.04	192.67	200	90	166	31.8	50	14	100
49 H 100	49	6W		198.08	196.71	-	90	170	31.8	50	19	-
50 H 100	50	6W		202.13	200.75	-	90	174	31.8	50	19	-
52 H100	52	6W	IRON	210.21	208.84	-	90	182	31.8	50	19	-
58 H100	58	6A		234.47	233.09	-	90	207	31.8	50	19	-
60 H100	60	6A		242.55	241.18	-	90	215	31.8	50	19	-
70 H100	70	6A	IRON	282.98	281.61	-	100	255	31.8	55	19	-
72 H100	72	6A		291.06	289.69	-	100	263	31.8	55	19	-
82 H100	82	6A		331.49	330.12	-	100	304	31.8	55	19	-
84 H100	84	6A	IRON	339.57	338.20	-	100	312	31.8	55	19	-
94 H100	94	6A		380.00	378.63	-	120	352	31.8	60	19	-
96 H100	96	6A		388.08	386.71	-	120	360	31.8	60	19	-
106 H100	106	6A	IRON	428.51	427.14	-	120	401	31.8	60	19	-
116 H100	116	6A		468.93	467.56	-	120	441	31.8	60	19	-
118 H100	118	6A		477.02	475.65	-	120	449	31.8	60	19	-
120 H100	120	6A	IRON	485.10	483.73	-	120	458	31.8	60	19	-
150 H100	150	6A	IRON	606.38	605.01	-	120	579	31.8	60	19	-
152 H100	152	6A		614.47	613.09	-	120	587	31.8	60	19	-
154 H100	154	6A	IRON	622.55	621.18	-	120	595	31.8	60	19	-
156 H100	156	6A		630.64	629.26	-	120	603	31.8	60	19	-

H 150 (12.700mm)

Part Code	Number of Teeth	Type	Mat.	Dp	De	Df	Dm	Di	F	L	d	Flange Code
14 H 150	14	6F	STEEL	56.60	55.22	64	40	-	46	58	11	59
15 H 150	15	6F		60.64	59.27	66	45	-	46	58	11	60
16 H 150	16	6F		64.68	63.31	70	45	-	46	58	11	61
17 H 150	17	6F	STEEL	68.72	67.35	75	45	-	46	58	11	62
18 H 150	18	6F		72.77	71.39	79	55	-	46	58	14	63
19 H 150	19	6F		76.81	75.44	83	60	-	46	58	14	64
20 H 150	20	6F	STEEL	80.85	79.48	87	62	-	46	58	14	65
21 H 150	21	6F		84.89	83.52	91	65	-	46	58	14	66
22 H 150	22	6F		88.94	87.56	93	68	-	46	58	14	67
23 H 150	23	6F	STEEL	92.98	91.61	97	72	-	46	58	14	68
24 H 150	24	6F		97.02	95.65	102	72	-	46	58	14	70
25 H 150	25	6F		101.06	99.69	106	72	-	46	58	14	71
26 H 150	26	6F	STEEL	105.11	103.73	112	80	-	46	58	14	72
27 H 150	27	6F		109.15	107.78	115	80	-	46	58	14	74
28 H 150	28	6F		113.19	111.82	120	80	-	46	58	14	75
29 H 150	29	6F	STEEL	117.23	115.86	123	80	-	46	58	14	88
30 H 150	30	6F		121.28	119.90	128	80	-	46	58	14	78
32 H 150	32	6F		129.36	127.99	135	80	-	46	58	14	80
33 H 150	33	6F	STEEL	133.40	132.03	145	80	-	46	58	14	81
34 H 150	34	6F		137.45	136.07	142	80	-	46	58	14	81
35 H 150	35	6F		141.49	140.12	150	80	-	46	58	14	85
36 H 150	36	6F	STEEL	145.53	144.16	150	80	118	46	58	14	85
38 H 150	38	6F		153.62	152.24	158	80	126	46	58	14	86
40 H 150	40	6F		161.70	160.33	168	80	134	46	58	14	90
42 H 150	42	6F	STEEL	169.79	168.41	175	80	140	46	58	19	89
44 H 150	44	6WF		177.87	176.50	184	80	150	46	58	19	95
45 H 150	45	6WF		181.91	180.54	192	80	154	46	58	19	97
48 H 150	48	6WF	STEEL	194.04	192.67	200	90	166	46	65	19	100
49 H 150	49	6W		198.08	196.71	-	90	170	46	65	19	-
50 H 150	50	6W		202.13	200.75	-	90	174	46	65	19	-
52 H150	52	6W	IRON	210.21	208.84	-	90	182	46	65	19	-
58 H150	58	6A		234.47	233.09	-	90	207	46	65	19	-
60 H150	60	6A		242.55	241.18	-	90	215	46	65	19	-
70 H150	70	6A	IRON	282.98	281.61	-	100	255	46	65	24	-
72 H150	72	6A		291.06	289.69	-	100	263	46	65	24	-
82 H150	82	6A		331.49	330.12	-	100	304	46	65	24	-
84 H150	84	6A	IRON	339.57	338.20	-	100	312	46	65	24	-
94 H150	94	6A		380.00	378.63	-	120	352	46	65	24	-
96 H150	96	6A		388.08	386.71	-	120	360	46	65	24	-
106 H150	106	6A	IRON	428.51	427.14	-	120	401	46	65	24	-
116 H150	116	6A		468.93	467.56	-	120	441	46	65	24	-
118 H150	118	6A		477.02	475.65	-	120	449	46	65	24	-
120 H150	120	6A	IRON	485.10	483.73	-	120	458	46	65	24	-
150 H150	150	6A		606.38	605.01	-	120	579	46	65	24	-
152 H150	152	6A		614.47	613.09	-	120	587	46	65	24	-
154 H150	154	6A	IRON	622.55	621.18	-	120	595	46	65	24	-
156 H150	156	6A		630.64	629.26	-	120	603	46	65	24	-



H 200 (12.700mm)

Part Code	Number of Teeth	Type	Mat.	Dp	De	Df	Dm	Di	F	L	d	Flange Code
14 H 200	14	6F	STEEL	56.60	55.22	64	40	-	85.7	70	11	59
15 H 200	15	6F		60.64	59.27	66	45	-	58.7	70	11	60
16 H 200	16	6F		64.68	63.31	70	45	-	58.7	70	11	61
17 H 200	17	6F	STEEL	68.72	67.35	75	45	-	58.7	70	11	62
18 H 200	18	6F		72.77	71.39	79	55	-	58.7	70	14	63
19 H 200	19	6F		76.81	75.44	83	60	-	58.7	70	14	64
20 H 200	20	6F	STEEL	80.85	79.48	87	62	-	58.7	70	14	65
21 H 200	21	6F		84.89	83.52	91	65	-	58.7	70	14	66
22 H 200	22	6F		88.94	87.56	93	68	-	58.7	70	14	67
23 H 200	23	6F	STEEL	92.98	91.61	97	72	-	58.7	70	14	68
24 H 200	24	6F		97.02	95.65	102	72	-	58.7	70	14	70
25 H 200	25	6F		101.06	99.69	106	72	-	58.7	70	14	71
26 H 200	26	6F	STEEL	105.11	103.73	112	80	-	58.7	70	14	72
27 H 200	27	6F		109.15	107.78	115	80	-	58.7	70	14	74
28 H 200	28	6F		113.19	111.82	120	80	-	58.7	70	14	75
29 H 200	29	6F	STEEL	117.23	115.86	123	80	-	58.7	70	14	88
30 H 200	30	6F		121.28	119.90	128	80	-	58.7	70	14	78
32 H 200	32	6F		129.36	127.99	135	80	-	58.7	70	14	80
33 H 200	33	6F	STEEL	133.40	132.03	145	80	-	58.7	70	14	81
34 H 200	34	6F		137.45	136.07	142	80	-	58.7	70	14	81
35 H 200	35	6F		141.49	140.12	150	80	-	58.7	70	14	85
36 H 200	36	6F	STEEL	145.53	144.16	150	80	118	58.7	70	14	85
38 H 200	38	6F		153.62	152.24	158	80	126	58.7	70	14	86
40 H 200	40	6F		161.70	160.33	168	80	134	58.7	70	14	90
42 H 200	42	6F	STEEL	169.79	168.41	175	80	140	58.7	70	19	89
44 H 200	44	6WF		177.87	176.50	184	80	150	58.7	70	19	95
45 H 200	45	6WF		181.91	180.54	192	80	154	58.7	70	19	97
48 H 200	48	6WF	STEEL	194.04	192.67	200	90	166	58.7	75	24	100
49 H 200	49	6W		198.08	196.71	-	90	170	58.7	75	24	-
50 H 200	50	6W		202.13	200.75	-	90	174	58.7	75	24	-
52 H200	52	6W	IRON	210.21	208.84	-	90	182	58.7	75	24	-
58 H200	58	6A		234.47	233.09	-	90	207	58.7	75	24	-
60 H200	60	6A		242.55	241.18	-	90	215	58.7	75	24	-
70 H200	70	6A	IRON	282.98	281.61	-	100	255	58.7	75	24	-
72 H200	72	6A		291.06	289.69	-	100	263	58.7	75	24	-
82 H200	82	6A		331.49	330.12	-	100	304	58.7	75	24	-
84 H200	84	6A	IRON	339.57	338.20	-	100	312	58.7	75	24	-
94 H200	94	6A		380.00	378.63	-	120	352	58.7	75	24	-
96 H200	96	6A		388.08	386.71	-	120	360	58.7	75	24	-
106 H200	106	6A	IRON	428.51	427.14	-	120	401	58.7	75	24	-
116 H200	116	6A		468.93	467.56	-	120	441	58.7	75	24	-
118 H200	118	6A		477.02	475.65	-	120	449	58.7	75	24	-
120 H200	120	6A	IRON	485.10	483.73	-	120	458	58.7	75	24	-
150 H200	150	6A		606.38	605.01	-	120	579	58.7	75	24	-
152 H200	152	6A		614.47	613.09	-	120	587	58.7	75	24	-
154 H200	154	6A	IRON	622.55	621.18	-	120	595	58.7	75	24	-
156 H200	156	6A		630.64	629.26	-	120	603	58.7	75	24	-

PI PULLEYby  **PIZZIRANI****H 300 (12.700mm)**

Part Code	Number of Teeth	Type	Mat.	Dp	De	Df	Dm	Di	F	L	d	Flange Code
14 H 300	14	6F	STEEL	56.60	55.22	64	40	-	85.7	100	11	59
15 H 300	15	6F		60.64	59.27	66	45	-	85.7	100	11	60
16 H 300	16	6F		64.68	63.31	70	45	-	85.7	100	11	61
17 H 300	17	6F	STEEL	68.72	67.35	75	45	-	85.7	100	11	62
18 H 300	18	6F		72.77	71.39	79	55	-	85.7	100	19	63
19 H 300	19	6F		76.81	75.44	83	60	-	85.7	100	19	64
20 H 300	20	6F	STEEL	80.85	79.48	87	62	-	85.7	100	19	65
21 H 300	21	6F		84.89	83.52	91	65	-	85.7	100	19	66
22 H 300	22	6F		88.94	87.56	93	68	-	85.7	100	19	67
23 H 300	23	6F	STEEL	92.98	91.61	97	72	-	85.7	100	19	68
24 H 300	24	6F		97.02	95.65	102	72	-	85.7	100	19	70
25 H 300	25	6F		101.06	99.69	106	72	-	85.7	100	19	71
26 H 300	26	6F	STEEL	105.11	103.73	112	80	-	85.7	100	19	72
27 H 300	27	6F		109.15	107.78	115	80	-	85.7	100	19	74
28 H 300	28	6F		113.19	111.82	120	80	-	85.7	100	19	75
29 H 300	29	6F	STEEL	117.23	115.86	123	80	-	85.7	100	19	88
30 H 300	30	6F		121.28	119.90	128	80	-	85.7	100	19	78
32 H 300	32	6F		129.36	127.99	135	80	-	85.7	100	19	80
33 H 300	33	6F	STEEL	133.40	132.03	145	80	-	85.7	100	19	81
34 H 300	34	6F		137.45	136.07	142	80	-	85.7	100	19	81
35 H 300	35	6F		141.49	140.12	150	80	-	85.7	100	19	85
36 H 300	36	6F	STEEL	145.53	144.16	150	80	118	85.7	100	19	85
38 H 300	38	6F		153.62	152.24	158	80	126	85.7	100	19	86
40 H 300	40	6F		161.70	160.33	168	80	134	85.7	100	19	90
42 H 300	42	6F	STEEL	169.79	168.41	175	80	140	85.7	100	24	89
44 H 300	44	6WF		177.87	176.50	184	80	150	85.7	100	24	95
45 H 300	45	6WF		181.91	180.54	192	80	154	85.7	100	24	97
48 H 300	48	6WF	STEEL	194.04	192.67	200	90	166	85.7	100	24	100
49 H 300	49	6W		198.08	196.71	-	90	170	85.7	100	24	-
50 H 300	50	6W		202.13	200.75	-	90	174	85.7	100	24	-
52 H300	52	6W	STEEL	210.21	208.84	-	90	182	85.7	100	24	-
58 H300	58	6A		234.47	233.09	-	90	207	85.7	100	24	-
60 H300	60	6A		242.55	241.18	-	90	215	85.7	100	28	-
70 H300	70	6A	IRON	282.98	281.61	-	100	255	85.7	100	28	-
72 H300	72	6A		291.06	289.69	-	100	263	85.7	100	28	-
82 H300	82	6A		331.49	330.12	-	100	304	85.7	100	28	-
84 H300	84	6A	IRON	339.57	338.20	-	100	312	85.7	100	28	-
94 H300	94	6A		380.00	378.63	-	120	352	85.7	100	28	-
96 H300	96	6A		388.08	386.71	-	120	360	85.7	100	28	-
106 H300	106	6A	IRON	428.51	427.14	-	120	401	85.7	100	28	-
116 H300	116	6A		468.93	467.56	-	120	441	85.7	100	28	-
118 H300	118	6A		477.02	475.65	-	120	449	85.7	100	28	-
120 H300	120	6A	IRON	485.10	483.73	-	120	458	85.7	100	28	-
150 H300	150	6A		606.38	605.01	-	120	579	85.7	100	28	-
152 H300	152	6A		614.47	613.09	-	120	587	85.7	100	28	-
154 H300	154	6A	IRON	622.55	621.18	-	120	595	85.7	100	28	-
156 H300	156	6A		630.64	629.26	-	120	603	85.7	100	28	-