

L 100 - 3/8" (9,525 mm)

CARATTERISTICHE FEATURES MERKMALE CARACTERÍSTICAS	CODICE CODE SYMBOL FABRIKNUMMER CODE SYMBOLE NUMERO DE FABRICA	NOSTRO CODICE OUR CODE UNSER KODE NOTRE CODE NUESTRO CODIGO	TIPO TYPE TYP TYPE TIPO	TIPO FLANGIA FLANGES TYPE BORDSCHEIBEN TYP TYPE FLASQUES TIPO TAPETAS	N.DENTI N. OF TEETH ZAHNEZAHL N. BRE DE DENTS CANTIDAD DE DIENTES	Dp	De	Df	Dm	Di	F	L	FORO STOCK STOCK BORE VOR BOHRUNG ALESAGE EN STOCK AGUJERO DE STOCK	PESO WEIGHT GEWICHT POIDS PESO Kg	
ACCIAIO STEEL STAHL ACIER ACERO	10 L 100	L 100010	6F	F13	10	30,32	29,56	37	20	—	31,8	45	8	0,15	
	11 L 100	L 100011	6F	F14	11	33,35	32,59	38	22	—	31,8	45	8	0,20	
	12 L 100	L 100012	6F	F16	12	36,38	35,62	43	24	—	31,8	45	8	0,26	
	13 L 100	L 100013	6F	F17	13	39,41	38,65	44	28	—	31,8	45	8	0,30	
	14 L 100	L 100014	6F	F18	14	42,45	41,68	48	28	—	31,8	45	11	0,34	
	15 L 100	L 100015	6F	F19	15	45,48	44,72	51	34	—	31,8	45	11	0,40	
	16 L 100	L 100016	6F	F20	16	48,51	47,75	54	36	—	31,8	45	11	0,52	
	17 L 100	L 100017	6F	F21	17	51,54	50,78	57	36	—	31,8	45	11	0,53	
	18 L 100	L 100018	6F	F22	18	54,57	53,81	60	40	—	31,8	45	11	0,62	
	19 L 100	L 100019	6F	F24	19	57,61	56,84	64	40	—	31,8	45	11	0,66	
	20 L 100	L 100020	6F	F25	20	60,64	59,88	66	40	—	31,8	45	11	0,72	
	21 L 100	L 100021	6F	F26	21	63,67	62,91	70	45	—	31,8	45	11	0,77	
	22 L 100	L 100022	6F	F27	22	66,70	65,94	75	45	—	31,8	45	11	0,88	
	23 L 100	L 100023	6F	F28	23	69,73	68,97	79	55	—	31,8	45	11	1,12	
	24 L 100	L 100024	6F	F28	24	72,77	72,00	79	55	—	31,8	45	11	1,18	
	25 L 100	L 100025	6F	F29	25	75,80	75,04	83	58	—	31,8	45	11	1,18	
	26 L 100	L 100026	6F	F30	26	78,83	78,07	87	58	—	31,8	45	11	1,24	
	27 L 100	L 100027	6F	F30	27	81,86	81,10	91	58	—	31,8	45	11	1,35	
	28 L 100	L 100028	6F	F31	28	84,89	84,13	91	58	—	31,8	45	11	1,42	
	29 L 100	L 100029	6F	F32	29	87,93	87,16	93	58	—	31,8	45	11	1,50	
	30 L 100	L 100030	6F	F33	30	90,96	90,20	97	70	—	31,8	45	11	1,61	
	32 L 100	L 100032	6F	F34	32	97,02	96,26	102	70	—	31,8	45	11	1,84	
	33 L 100	L 100033	6F	F35	33	100,05	99,29	106	70	—	31,8	45	11	1,95	
	34 L 100	L 100034	6F	F34	34	103,08	102,32	112	70	—	31,8	45	11	2,10	
	35 L 100	L 100035	6F	F36	35	106,12	105,35	112	70	—	31,8	45	11	2,23	
	36 L 100	L 100036	6F	F37	36	109,15	108,39	115	70	—	31,8	45	11	2,32	
	40 L 100	L 100040	6WF	F40	40	121,28	120,51	128	70	100	31,8	45	11	2,80	
	41 L 100	L 100041	6WF	F41	41	124,31	123,55	131	70	103	31,8	45	11	2,95	
	42 L 100	L 100042	6WF	F42	42	127,34	126,58	135	70	106	31,8	45	11	3,10	
	44 L 100	L 100044	6WF	F45	44	133,40	132,62	142	70	112	31,8	45	11	3,36	
	45 L 100	L 100045	6WF	F45	45	136,44	135,67	142	70	115	31,8	45	11	3,45	
	47 L 100	L 100047	6WF	F48	47	142,50	141,74	150	70	121	31,8	45	11	3,65	
	48 L 100	L 100048	6WF	F48	48	145,53	144,77	150	70	124	31,8	45	11	3,86	
	GHISA CAST IRON GRAUGUSS FONTE HIERRO FUNDIDO	49 L 100	L 100049	6W		49	148,56	147,80	—	70	127	31,8	45	14	2,40
		50 L 100	L 100050	6W		50	151,60	150,83	—	70	130	31,8	45	14	2,50
		52 L 100	L 100052	6W		52	157,66	156,90	—	70	136	31,8	45	14	2,70
		56 L 100	L 100056	6W		56	169,79	169,02	—	70	149	31,8	45	14	2,91
		57 L 100	L 100057	6W		57	172,82	172,06	—	70	152	31,8	45	14	3,10
		60 L 100	L 100060	6W		60	181,91	181,15	—	75	160	31,8	50	14	3,55
		65 L 100	L 100065	6A		65	197,07	196,31	—	75	176	31,8	50	14	4,00
		66 L 100	L 100066	6A		66	200,11	199,34	—	75	179	31,8	50	14	4,15
		72 L 100	L 100072	6A		72	218,30	217,53	—	75	197	31,8	50	14	5,00
		84 L 100	L 100084	6A		84	254,68	253,92	—	75	233	31,8	50	14	6,30
		90 L 100	L 100090	6A		90	272,87	272,11	—	75	252	31,8	50	14	7,50
		96 L 100	L 100096	6A		96	291,06	290,30	—	75	269	31,8	50	14	8,20
		120 L 100	L 100120	6A		120	363,83	363,07	—	75	342	31,8	50	14	11,50

H 075 - 1/2" (12,7 mm)





CARATTERISTICHE FEATURES MERKMALE CARACTERÍSTICAS	CODICE CODE SYMBOL FABRIKNUMMER CODE SYMBOLE NUMERO DE FABRICA	NOSTRO CODICE OUR CODE UNSER KODE NOTRE CODE NUESTRO CODIGO	TIPO TYPE TYP TYPE TIPO	TIPO FLANGIA FLANGES TYPE BORDSCHEIBEN TYP TYPE FLASQUES TIPO TAPETAS	N.DENTI N. OF TEETH ZAHNEZAHL N. BRE DE DENTS CANTIDAD DE DIENTES	Dp	De	Df	Dm	Di	F	L	FORO STOCK STOCK BORE VOR BOHRUNG ALESAGE EN STOCK AGUJERO DE STOCK	PESO WEIGHT GEWICHT POIDS PESO Kg	
ACCIAIO STEEL STAHL ACIER ACERO	14 H 075	H 75014	6F	F24	14	56,60	55,22	64	40	—	26,4	40	8	0,59	
	15 H 075	H 75015	6F	F25	15	60,64	59,27	66	45	—	26,4	40	8	0,65	
	16 H 075	H 75016	6F	F26	16	64,68	63,31	70	45	—	26,4	40	8	0,70	
	17 H 075	H 75017	6F	F27	17	68,72	67,35	75	45	—	26,4	40	8	0,73	
	18 H 075	H 75018	6F	F28	18	72,77	71,39	79	55	—	26,4	40	11	0,91	
	19 H 075	H 75019	6F	F29	19	76,81	75,44	83	60	—	26,4	40	11	1,08	
	20 H 075	H 75020	6F	F30	20	80,85	79,48	87	62	—	26,4	40	11	1,18	
	21 H 075	H 75021	6F	F31	21	84,89	83,52	91	65	—	26,4	40	11	1,30	
	22 H 075	H 75022	6F	F32	22	88,94	87,56	93	68	—	26,4	40	11	1,42	
	23 H 075	H 75023	6F	F33	23	92,98	91,61	97	72	—	26,4	40	11	1,67	
	24 H 075	H 75024	6F	F34	24	97,02	95,65	102	72	—	26,4	40	11	1,71	
	25 H 075	H 75025	6F	F35	25	101,06	99,69	106	72	—	26,4	40	11	1,87	
	26 H 075	H 75026	6F	F36	26	105,11	103,73	112	80	—	26,4	40	11	2,00	
	27 H 075	H 75027	6F	F37	27	109,15	107,78	115	80	—	26,4	40	11	2,10	
	28 H 075	H 75028	6F	F38	28	113,19	111,82	120	80	—	26,4	40	11	2,26	
	29 H 075	H 75029	6F	F39	29	117,23	115,86	123	80	—	26,4	40	11	2,49	
	30 H 075	H 75030	6F	F40	30	121,28	119,90	128	80	—	26,4	40	11	2,70	
	32 H 075	H 75032	6F	F42	32	129,36	127,99	135	80	—	26,4	40	11	2,85	
	33 H 075	H 75033	6F	F44	33	133,40	132,03	140	80	—	26,4	40	11	3,10	
	34 H 075	H 75034	6F	F45	34	137,45	136,07	142	80	—	26,4	40	11	3,30	
	35 H 075	H 75035	6F	F48	35	141,49	140,12	150	80	—	26,4	40	11	3,50	
	36 H 075	H 75036	6F	F48	36	145,53	144,16	150	80	118	26,4	40	11	3,65	
	38 H 075	H 75038	6F	F50	38	153,62	152,24	158	80	126	26,4	40	11	3,90	
	40 H 075	H 75040	6F	F52	40	161,70	160,33	168	80	134	26,4	40	11	4,23	
	42 H 075	H 75042	6F	F53	42	169,79	168,41	175	80	140	26,4	40	11	4,80	
	44 H 075	H 75044	6WF	F55	44	177,87	176,50	184	80	150	26,4	40	14	5,20	
	45 H 075	H 75045	6WF	F57	45	181,91	180,54	192	80	154	26,4	40	14	5,45	
	48 H 075	H 75048	6WF	F59	48	194,04	192,67	200	90	166	26,4	45	14	4,30	
	GHISA CAST IRON GRAUGUSS FONTE HIERRO FUNDIDO	49 H 075	H 75049	6W		49	198,08	196,71	—	90	170	26,4	45	14	4,50
		50 H 075	H 75050	6W		50	202,13	200,75	—	90	174	26,4	45	14	4,66

H 100 - 1/2" (12,7 mm)

CARATTERISTICHE FEATURES MERKMALE CARACTERISTIQUES CARACTERÍSTICAS	CODICE CODE SYMBOL FABRIKNUMMER CODE SYMBOLE NUMERO DE FABRICA	NOSTRO CODICE OUR CODE UNSER KODE NOTRE CODE NUESTRO CODIGO	TIPO TYPE TYP TYPE TIPO	TIPO FLANGIA FLANGES TYPE BORDSCHIIBEN TYP TYPE FLASQUES TIPO TAPETAS	N.DENTI N. OF TEETH ZAHNEZAHL N. BRE DE DENTS CANTIDAD DE DIENTES	Dp	De	Df	Dm	Di	F	L	FORO STOCK STOCK BORE VOR BOHRUNG ALESAGE EN STOCK AGUJERO DE STOCK	PESO WEIGHT GEWICHT POIDS PESO Kg		
ACCIAIO STEEL STAHL ACIER ACERO	14 H 100	H 100014	6F	F24	14	56,60	55,22	64	45	—	31,8	45	11	0,67		
	15 H 100	H 100015	6F	F25	15	60,64	59,27	66	45	—	31,8	45	11	0,77		
	16 H 100	H 100016	6F	F26	16	64,68	63,31	70	45	—	31,8	45	11	0,88		
	17 H 100	H 100017	6F	F27	17	68,72	67,35	75	45	—	31,8	45	11	0,88		
	18 H 100	H 100018	6F	F28	18	72,77	71,39	79	55	—	31,8	45	14	1,06		
	19 H 100	H 100019	6F	F29	19	76,81	75,44	83	60	—	31,8	45	14	1,23		
	20 H 100	H 100020	6F	F30	20	80,85	79,48	87	62	—	31,8	45	14	1,33		
	21 H 100	H 100021	6F	F31	21	84,89	83,52	91	65	—	31,8	45	14	1,43		
	22 H 100	H 100022	6F	F32	22	88,94	87,56	93	68	—	31,8	45	14	1,63		
	23 H 100	H 100023	6F	F33	23	92,98	91,61	97	72	—	31,8	45	14	1,85		
	24 H 100	H 100024	6F	F34	24	97,02	95,65	102	72	—	31,8	45	14	1,93		
	CON FLANGIA WITH FLANGES MIT FLANGES AVEC FLASQUES CON TAPETAS	25 H 100	H 100025	6F	F35	25	101,06	99,69	106	72	—	31,8	45	14	2,07	
		26 H 100	H 100026	6F	F36	26	105,11	103,73	112	80	—	31,8	45	14	2,30	
		27 H 100	H 100027	6F	F37	27	109,15	107,78	115	80	—	31,8	45	14	2,40	
		28 H 100	H 100028	6F	F38	28	113,19	111,82	120	80	—	31,8	45	14	2,53	
		29 H 100	H 100029	6F	F39	29	117,23	115,86	123	80	—	31,8	45	14	2,70	
		30 H 100	H 100030	6F	F40	30	121,28	119,90	128	80	—	31,8	45	14	2,93	
		32 H 100	H 100032	6F	F42	32	129,36	127,99	135	80	—	31,8	45	14	3,06	
		33 H 100	H 100033	6F	F44	33	133,40	132,03	140	80	—	31,8	45	14	3,40	
		34 H 100	H 100034	6F	F45	34	137,45	136,07	142	80	—	31,8	45	14	3,57	
		35 H 100	H 100035	6F	F48	35	141,49	140,12	150	80	—	31,8	45	14	3,80	
		GHISA CAST IRON GRAUGUSS FONTE HIERRO FUNDIDO	36 H 100	H 100036	6WF	F48	36	145,53	144,16	150	80	118	31,8	45	14	3,92
			38 H 100	H 100038	6WF	F50	38	153,62	152,24	158	80	123	31,8	45	14	4,40
			40 H 100	H 100040	6WF	F52	40	161,70	160,33	168	80	134	31,8	45	14	4,95
			42 H 100	H 100042	6WF	F53	42	169,79	168,41	175	80	140	31,8	45	14	5,60
		SENZA FLANGIA WITHOUT FLANGES OHNE FLANSCHEN SANS FLASQUES SIN TAPETAS	44 H 100	H 100044	6WF	F55	44	177,87	176,50	184	80	150	31,8	50	14	6,20
			45 H 100	H 100045	6WF	F57	45	181,91	180,54	192	80	154	31,8	50	14	6,45
			48 H 100	H 100048	6WF	F59	48	194,04	192,67	200	90	166	31,8	50	14	5,30
			49 H 100	H 100049	6W		49	198,08	196,71	—	90	170	31,8	50	19	5,40
			50 H 100	H 100050	6W		50	202,13	200,75	—	90	174	31,8	50	19	5,50
			52 H 100	H 100052	6W		52	210,21	208,84	—	90	182	31,8	50	19	5,80
			58 H 100	H 100058	6A		58	234,47	233,09	—	90	207	31,8	50	19	6,20
			60 H 100	H 100060	6A		60	242,55	241,18	—	90	215	31,8	50	19	7,50
			70 H 100	H 100070	6A		70	282,98	281,61	—	100	255	31,8	55	19	8,20
			72 H 100	H 100072	6A		72	291,06	289,69	—	100	263	31,8	55	19	9,00
			82 H 100	H 100082	6A		82	331,49	330,12	—	100	304	31,8	55	19	9,20
84 H 100			H 100084	6A		84	339,57	338,20	—	100	312	31,8	55	19	10,00	
94 H 100			H 100094	6A		94	380,00	378,63	—	120	352	31,8	60	19	13,00	
96 H 100			H 100096	6A		96	388,08	386,71	—	120	360	31,8	60	19	13,80	
106 H 100			H 100106	6A		106	428,51	427,14	—	120	401	31,8	60	19	15,50	
116 H 100			H 100116	6A		116	468,93	467,56	—	120	441	31,8	60	19	18,00	
118 H 100			H 100118	6A		118	477,02	475,65	—	120	449	31,8	60	19	20,00	
120 H 100			H 100120	6A		120	485,10	483,73	—	120	458	31,8	60	19	22,00	
150 H 100			H 100150	6A		150	606,38	605,01	—	120	579	31,8	60	19	25,00	
152 H 100			H 100152	6A		152	614,47	613,09	—	120	587	31,8	60	19	26,00	
154 H 100			H 100154	6A		154	622,55	621,18	—	120	595	31,8	60	19	27,00	
156 H 100			H 100156	6A		156	630,64	629,26	—	120	603	31,8	60	19	28,00	

H 150 - 1/2" (12,7 mm)

CARATTERISTICHE FEATURES MERKMALE CARACTERISTIQUES CARACTERÍSTICAS	CODICE CODE SYMBOL FABRIKNUMMER CODE SYMBOLE NUMERO DE FABRICA	NOSTRO CODICE OUR CODE UNSER KODE NOTRE CODE NUESTRO CODIGO	TIPO TYPE TYP TYPE TIPO	TIPO FLANGIA FLANGES TYPE BORDSCHIIBEN TYP TYPE FLASQUES TIPO TAPETAS	N.DENTI N. OF TEETH ZAHNEZAHL N. BRE DE DENTS CANTIDAD DE DIENTES	Dp	De	Df	Dm	Di	F	L	FORO STOCK STOCK BORE VOR BOHRUNG ALESAGE EN STOCK AGUJERO DE STOCK	PESO WEIGHT GEWICHT POIDS PESO Kg		
ACCIAIO STEEL STAHL ACIER ACERO	14 H 150	H 150014	6F	F24	14	56,60	55,22	64	42	—	46,0	58	11	0,91		
	15 H 150	H 150015	6F	F25	15	60,64	59,27	66	45	—	46,0	58	11	0,99		
	16 H 150	H 150016	6F	F26	16	64,68	63,31	70	45	—	46,0	58	11	1,08		
	17 H 150	H 150017	6F	F27	17	68,72	67,35	75	45	—	46,0	58	11	1,15		
	18 H 150	H 150018	6F	F28	18	72,77	71,39	79	55	—	46,0	58	14	1,45		
	19 H 150	H 150019	6F	F29	19	76,81	75,44	83	60	—	46,0	58	14	1,55		
	20 H 150	H 150020	6F	F30	20	80,85	79,48	87	62	—	46,0	58	14	1,66		
	21 H 150	H 150021	6F	F31	21	84,89	83,52	91	65	—	46,0	58	14	1,87		
	22 H 150	H 150022	6F	F32	22	88,94	87,56	93	68	—	46,0	58	14	2,07		
	23 H 150	H 150023	6F	F33	23	92,98	91,61	97	72	—	46,0	58	14	2,28		
	24 H 150	H 150024	6F	F34	24	97,02	95,65	102	72	—	46,0	58	14	2,50		
	CON FLANGIA WITH FLANGES MIT FLANGES AVEC FLASQUES CON TAPETAS	25 H 150	H 150025	6F	F35	25	101,06	99,69	106	72	—	46,0	58	14	2,71	
		26 H 150	H 150026	6F	F36	26	105,11	103,73	112	80	—	46,0	58	14	2,99	
		27 H 150	H 150027	6F	F37	27	109,15	107,78	115	80	—	46,0	58	14	3,15	
		28 H 150	H 150028	6F	F38	28	113,19	111,82	120	80	—	46,0	58	14	3,39	
		29 H 150	H 150029	6F	F39	29	117,23	115,86	123	80	—	46,0	58	14	3,57	
		30 H 150	H 150030	6F	F40	30	121,28	119,90	128	80	—	46,0	58	14	3,86	
		32 H 150	H 150032	6F	F42	32	129,36	127,99	135	80	—	46,0	58	14	4,37	
		33 H 150	H 150033	6F	F44	33	133,40	132,03	140	80	—	46,0	58	14	4,66	
		34 H 150	H 150034	6F	F45	34	137,45	136,07	142	80	—	46,0	58	14	4,98	
		35 H 150	H 150035	6F	F48	35	141,49	140,12	150	80	—	46,0	58	14	5,30	
		GHISA CAST IRON GRAUGUSS FONTE HIERRO FUNDIDO	36 H 150	H 150036	6WF	F48	36	145,53	144,16	150	80	118	46,0	58	14	5,50
			38 H 150	H 150038	6WF	F50	38	153,62	152,24	158	80	126	46,0	58	14	6,10
			40 H 150	H 150040	6WF	F52	40	161,70	160,33	168	80	134	46,0	58	14	6,80
			42 H 150	H 150042	6WF	F53	42	169,79	168,41	175	80	140	46,0	58	19	7,60
		SENZA FLANGIA WITHOUT FLANGES OHNE FLANSCHEN SANS FLASQUES SIN TAPETAS	44 H 150	H 150044	6WF	F55	44	177,87	176,50	184	80	150	46,0	58	19	8,50
			45 H 150	H 150045	6WF	F57	45	181,91	180,54	192	80	154	46,0	58	19	9,00
			48 H 150	H 150048	6WF	F59	48	194,04	192,67	200	90	166	46,0	65	19	6,70
			49 H 150	H 150049	6W		49	198,08	196,71	—	90	170	46,0	65	19	7,00
			50 H 150	H 150050	6W		50	202,13	200,75	—	90	174	46,0	65	19	7,10
			52 H 150	H 150052	6W		52	210,21	208,84	—	90	182	46,0	65	19	7,30
			58 H 150	H 150058	6A		58	234,47	233,09	—	90	207	46,0	65	19	8,10
			60 H 150	H 150060	6A		60	242,55	241,18	—	90	215	46,0	65	19	9,00
			70 H 150	H 150070	6A		70	282,98	281,61	—	100	255	46,0	65	24	10,50
			72 H 150	H 150072	6A		72	291,06	289,69	—	100	263	46,0	65	24	11,00
			82 H 150	H 150082	6A		82	331,49	330,12	—	100	304	46,0	65	24	12,00
84 H 150			H 150084	6A		84	339,57	338,20	—	100	312	46,0	65	24	13,00	
94 H 150			H 150094	6A		94	380,00	378,63	—	120	352	46,0	65	24	16,00	
96 H 150			H 150096	6A		96	388,08	386,71	—	120	360	46,0	65	24	17,00	
106 H 150			H 150106	6A		106	428,51	427,14	—	120	401	46,0	65	24	19,50	
116 H 150			H 150116	6A		116	468,93	467,56	—	120	441	46,0	65	24	22,00	
118 H 150			H 150118	6A		118	477,02	475,65	—	120	449	46,0	65	24	23,50	
120 H 150			H 150120	6A		120										



H 200 - 1/2" (12,75 mm)

CARATTERISTICHE FEATURES MERKMALE CARACTERISTICAS	CODICE CODE SYMBOL FABRIKUNUMMER CODE SYMBOLE NUMERO DE FABRICA	NOSTRO CODICE OUR CODE UNSER KODE NOTRE CODE NUESTRO CODIGO	TIPO TYPE TYP TIPO	TIPO FLANGIA FLANGES TYPE BORDSCHIIBEN TYP TIPO FLASQUES TIPO TAPETAS	N.DENTI N. OF TEETH ZAHNEZAHL N. BRE DE DENTS CANTIDAD DE DIENTES	Dp	De	Df	Dm	Di	F	L	FORO STOCK STOCK BORE VOR BOHRUNG ALESAGE EN STOCK AGUJERO DE STOCK	PESO WEIGHT GEWICHT POIDS PESO Kg		
ACCIAIO STEEL STAHL ACIER ACERO	14 H 200	H 200014	6F	F24	14	56,60	55,22	64	42	—	58,7	70	11	1,13		
	15 H 200	H 200015	6F	F25	15	60,64	59,27	66	45	—	58,7	70	11	1,21		
	16 H 200	H 200016	6F	F26	16	64,68	63,31	70	45	—	58,7	70	11	1,30		
	17 H 200	H 200017	6F	F27	17	68,72	67,35	75	45	—	58,7	70	11	1,45		
	18 H 200	H 200018	6F	F28	18	72,77	71,39	79	55	—	58,7	70	14	1,65		
	19 H 200	H 200019	6F	F29	19	76,81	75,44	83	60	—	58,7	70	14	1,90		
	20 H 200	H 200020	6F	F30	20	80,85	79,48	87	62	—	58,7	70	14	2,11		
	21 H 200	H 200021	6F	F31	21	84,89	83,52	91	65	—	58,7	70	14	2,23		
	22 H 200	H 200022	6F	F32	22	88,94	87,56	93	68	—	58,7	70	14	2,45		
	23 H 200	H 200023	6F	F33	23	92,98	91,61	97	72	—	58,7	70	14	2,71		
	24 H 200	H 200024	6F	F34	24	97,02	95,65	102	72	—	58,7	70	14	2,97		
	CON FLANGIA WITH FLANGES MIT FLANSCHEN AVEC FLASQUES CON TAPETAS	25 H 200	H 200025	6F	F35	25	101,06	99,69	106	72	—	58,7	70	14	3,32	
		26 H 200	H 200026	6F	F36	26	105,11	103,73	112	80	—	58,7	70	14	3,61	
		27 H 200	H 200027	6F	F37	27	109,15	107,78	115	80	—	58,7	70	14	3,90	
		28 H 200	H 200028	6F	F38	28	113,19	111,82	120	80	—	58,7	70	14	4,10	
		29 H 200	H 200029	6F	F39	29	117,23	115,86	123	80	—	58,7	70	14	4,42	
		30 H 200	H 200030	6F	F40	30	121,28	119,90	128	80	—	58,7	70	14	4,74	
		32 H 200	H 200032	6F	F42	32	129,36	127,99	135	80	—	58,7	70	14	5,60	
		33 H 200	H 200033	6F	F44	33	133,40	132,03	140	80	—	58,7	70	14	5,90	
		34 H 200	H 200034	6F	F45	34	137,45	136,07	142	80	—	58,7	70	14	6,20	
		35 H 200	H 200035	6F	F48	35	141,49	140,12	150	80	—	58,7	70	14	6,60	
		6WF	36 H 200	H 200036	6WF	F48	36	145,53	144,16	150	80	118	58,7	70	14	7,10
			38 H 200	H 200038	6WF	F50	38	153,62	152,24	158	80	126	58,7	70	14	7,90
			40 H 200	H 200040	6WF	F52	40	161,70	160,33	168	80	134	58,7	70	14	8,40
			42 H 200	H 200042	6WF	F53	42	169,79	168,41	180	80	140	58,7	70	14	9,70
			44 H 200	H 200044	6WF	F55	44	177,87	176,50	184	80	150	58,7	70	19	10,50
			45 H 200	H 200045	6WF	F57	45	181,91	180,54	192	80	154	58,7	70	19	11,30
		GHISA CAST IRON GRAUGUSS FONTE HIERRO FUNDIDO	48 H 200	H 200048	6WF	F59	48	194,04	192,67	200	90	166	58,7	75	24	8,60
			49 H 200	H 200049	6W	F35	49	198,08	196,71	—	90	170	58,7	75	24	7,60
	50 H 200		H 200050	6W	F35	50	202,13	200,75	—	90	174	58,7	75	24	8,30	
	52 H 200		H 200052	6W	F35	52	210,21	208,84	—	90	182	58,7	75	24	8,50	
	58 H 200		H 200058	6A	F35	58	234,47	233,09	—	90	207	58,7	75	24	10,00	
	60 H 200		H 200060	6A	F35	60	242,55	241,18	—	90	215	58,7	75	24	11,00	
	70 H 200		H 200070	6A	F35	70	282,98	281,61	—	100	255	58,7	75	28	12,50	
	72 H 200		H 200072	6A	F35	72	291,06	289,69	—	100	263	58,7	75	28	14,00	
82 H 200	H 200082		6A	F35	82	331,49	330,12	—	100	304	58,7	75	28	13,50		
84 H 200	H 200084		6A	F35	84	339,57	338,20	—	100	312	58,7	75	28	15,00		
94 H 200	H 200094		6A	F35	94	380,00	378,63	—	120	352	58,7	75	28	18,90		
96 H 200	H 200096		6A	F35	96	388,08	386,71	—	120	360	58,7	75	28	20,30		
106 H 200	H 200106		6A	F35	106	428,51	427,14	—	120	401	58,7	75	28	22,50		
116 H 200	H 200116		6A	F35	116	468,93	467,56	—	120	441	58,7	75	28	24,70		
118 H 200	H 200118		6A	F35	118	477,02	475,65	—	120	449	58,7	75	28	26,00		
120 H 200	H 200120		6A	F35	120	485,10	483,73	—	120	458	58,7	75	28	28,00		
150 H 200	H 200150		6A	F35	150	606,38	605,01	—	120	579	58,7	75	28	32,50		
152 H 200	H 200152		6A	F35	152	614,47	613,09	—	120	587	58,7	75	28	35,00		
154 H 200	H 200154	6A	F35	154	622,55	621,18	—	120	595	58,7	75	28	38,00			
156 H 200	H 200156	6A	F35	156	630,64	629,26	—	120	603	58,7	75	28	41,00			

H 300 - 1/2" (12,75 mm)

CARATTERISTICHE FEATURES MERKMALE CARACTERISTICAS	CODICE CODE SYMBOL FABRIKUNUMMER CODE SYMBOLE NUMERO DE FABRICA	NOSTRO CODICE OUR CODE UNSER KODE NOTRE CODE NUESTRO CODIGO	TIPO TYPE TYP TIPO	TIPO FLANGIA FLANGES TYPE BORDSCHIIBEN TYP TIPO FLASQUES TIPO TAPETAS	N.DENTI N. OF TEETH ZAHNEZAHL N. BRE DE DENTS CANTIDAD DE DIENTES	Dp	De	Df	Dm	Di	F	L	FORO STOCK STOCK BORE VOR BOHRUNG ALESAGE EN STOCK AGUJERO DE STOCK	PESO WEIGHT GEWICHT POIDS PESO Kg		
ACCIAIO STEEL STAHL ACIER ACERO	14 H 300	H 300014	6F	F24	14	56,60	55,22	64	42	—	85,7	100	11	1,35		
	15 H 300	H 300015	6F	F25	15	60,64	59,27	66	45	—	85,7	100	11	1,55		
	16 H 300	H 300016	6F	F26	16	64,68	63,31	70	45	—	85,7	100	11	1,80		
	17 H 300	H 300017	6F	F27	17	68,72	67,35	75	45	—	85,7	100	11	2,10		
	18 H 300	H 300018	6F	F28	18	72,77	71,39	79	55	—	85,7	100	19	2,38		
	19 H 300	H 300019	6F	F29	19	76,81	75,44	83	60	—	85,7	100	19	2,64		
	20 H 300	H 300020	6F	F30	20	80,85	79,48	87	62	—	85,7	100	19	3,10		
	21 H 300	H 300021	6F	F31	21	84,89	83,52	91	65	—	85,7	100	19	3,32		
	22 H 300	H 300022	6F	F32	22	88,94	87,56	93	68	—	85,7	100	19	3,67		
	23 H 300	H 300023	6F	F33	23	92,98	91,61	97	72	—	85,7	100	19	4,00		
	24 H 300	H 300024	6F	F34	24	97,02	95,65	102	72	—	85,7	100	19	4,40		
	CON FLANGIA WITH FLANGES MIT FLANSCHEN AVEC FLASQUES CON TAPETAS	25 H 300	H 300025	6F	F35	25	101,06	99,69	106	72	—	85,7	100	19	4,79	
		26 H 300	H 300026	6F	F36	26	105,11	103,73	112	80	—	85,7	100	19	5,20	
		27 H 300	H 300027	6F	F37	27	109,15	107,78	115	80	—	85,7	100	19	5,60	
		28 H 300	H 300028	6F	F38	28	113,19	111,82	120	80	—	85,7	100	19	5,60	
		29 H 300	H 300029	6F	F39	29	117,23	115,86	123	80	—	85,7	100	19	6,00	
		30 H 300	H 300030	6F	F40	30	121,28	119,90	128	80	—	85,7	100	19	7,00	
		32 H 300	H 300032	6F	F42	32	129,36	127,99	135	80	—	85,7	100	19	7,80	
		33 H 300	H 300033	6F	F44	33	133,40	132,03	140	80	—	85,7	100	19	8,70	
		34 H 300	H 300034	6F	F45	34	137,45	136,07	142	80	—	85,7	100	19	9,70	
		35 H 300	H 300035	6F	F48	35	141,49	140,12	150	80	—	85,7	100	19	9,80	
		6WF	36 H 300	H 300036	6WF	F48	36	145,53	144,16	150	80	118	85,7	100	19	9,90
			38 H 300	H 300038	6WF	F50	38	153,62	152,24	158	80	126	85,7	100	19	11,00
			40 H 300	H 300040	6WF	F52	40	161,70	160,33	168	80	134	85,7	100	19	12,20
			42 H 300	H 300042	6WF	F53	42	169,79	168,41	180	80	140	85,7	100	24	13,80
			44 H 300	H 300044	6WF	F55	44	177,87	176,50	184	80	150	85,7	100	24	15,00
			45 H 300	H 300045	6WF	F57	45	181,91	180,54	192	80	154	85,7	100	24	16,20
		GHISA CAST IRON GRAUGUSS FONTE HIERRO FUNDIDO	48 H 300	H 300048	6WF	F59	48	194,04	192,67	200	90	166	85,7	100	24	11,40
			49 H 300	H 300049	6W	F35	49	198,08	196,71	—	90	170	85,7	100	24	9,40
	50 H 300		H 300050	6W	F35	50	202,13	200,75	—	90	174	85,7	100	24	10,60	
	52 H 300		H 300052	6W	F35	52	210,21	208,84	—	90	182	85,7	100	24	11,80	
	58 H 300		H 300058	6A	F35	58	234,47	233,09	—	90	207	85,7	100	24	12,20	
	60 H 300		H 300060	6A	F35	60	242,55	241,18	—	90	215	85,7	100	24	13,00	
	70 H 300		H 300070	6A	F35	70	282,98	281,61	—	100	255	85,7	100	28	16,50	
	72 H 300		H 300072	6A	F35	72	291,06	289,69	—	100	263	85,7	100	28	19,00	
82 H 300	H 300082		6A	F35	82	331,49	330,12	—	100	304	85,7	100	28	18,00		
84 H 300	H 300084		6A	F35	84	339,57	338,20	—	100	312	85,7	100	28	20,00		
94 H 300	H 300094		6A	F35	94	380,00	378,63	—	120	352	85,7	100	28	25,50		
96 H 300	H 300096		6A	F35	96	388,08	386,71	—	120	360	85,7	100	28	27,00		
106 H 300	H 300106		6A	F35	106	428,51	427,14	—	120	401	85,7	100	28	27,90		
116 H 300	H 300116		6A	F35	116	468,93										